



Revised June 24, 2016

SPECIFICATIONS FOR BRP by bison SITE FURNISHINGS

Note: These specifications were current at the time of publication but are subject to change without notice. Please confirm the accuracy of these specifications with the manufacturer and / or distributor prior to installation.

SECTION 12 93 00 SITE FURNISHINGS

SPECIFIER NOTE: This product guide specification is written according to the Construction Specifications Institute (CSI) Format, including MasterFormat, SectionFormat, and PageFormat, as contained in the CSI Manual of Practice.

The section must be carefully reviewed and edited by the Architect to meet the requirements of the project and local building code. Coordinate this section with other specification sections and the drawings.

Delete all italicized "Specifier Notes" when editing this section.

This section covers BRP by bison site furnishings, including benches, receptacles, bike security stations, bollards, tables and chairs and related site furnishing products. Several items are available for immediate shipment as express ship items in a limited selection of colors. BRP by bison has the ability to fabricate custom site furnishings. Consult the manufacturer for additional information and for assistance in editing this section for your specific application.

PART 1: GENERAL

1.1 Section Includes

SPECIFIER NOTE: Edit the following list of outdoor site furnishings as required for the project.

- Benches
- Litter receptacles / recycling stations
- Ash urns
- Planters
- Bike security stations
- Bollards
- Chairs
- Tables
- Other (Specify)

1.2 Related Sections

SPECIFIER NOTE: *Edit the following list of related sections as required for the project. List other sections with work directly related to this section.*

- A. Section 01 81 13 - Sustainable Design Requirements
- B. Section 03 30 00 - Cast-in-Place Concrete

1.3 Submittals

- A. Comply with Section 01 33 00 - Submittal Procedures.
- B. Product Data: Submit manufacturer's product data, including installation instructions.
- C. Shop Drawings: Submit manufacturer's shop drawings, indicating materials, dimensions, tolerances, welding, fasteners, hardware, mounting, finish and accessories. Available at <http://www.brpbybison.com/submittals.html>
- D. Samples: Submit manufacturer's standard color samples. Available at <http://www.brpbybison.com/finishes.html>
- E. Warranty: Submit manufacturer's standard warranty. Available at <http://www.brpbybison.com/warranty.html>

1.4 Delivery, Storage and Handling

- A. Delivery: Furnishings are shipped from manufacturer completely assembled unless otherwise indicated. Deliver materials to site in manufacturer's original, unopened containers and packaging, with labels clearly identifying product name, manufacturer, and location of installation.
- B. Storage: Store materials in a clean, dry area indoors in accordance with manufacturer's instructions. Keep temporary protective coverings in place.
- C. Handling: Protect materials and finish from damage during handling and installation.

PART 2: PRODUCTS

2.1 Manufacturer

- A. BRP by bison, 603 "L" Street, Lincoln, NE, 68508. Toll Free (888) 438-5311. Fax (888) 438-5312. Web: www.BRPbybison.com Email: sales@BRPbybison.com

2.2 Benches

SPECIFIER NOTE: *Consult BRP by bison for assistance in selecting site furnishings for the specific application.*

A. Ashebrooke Collection

- a) Back: [Backless] [Backed]
- b) Length: [48"] [72"] [96"]
- c) Seat: 3/16" x 1 1/2" steel horizontal slats

SPECIFIER NOTE: *Ashebrooke Collection Benches with integrated curved bar armrest ends may be installed freestanding or bolted to concrete. Ashebrooke Benches with structural steel pipe supports may be installed as embedded or surface mount.*

- d) Support Structure: [1" square steel bar ends] [2 3/8" OD schedule 40 embedded mount] [2 3/8" OD schedule 40 surface mount]
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

SPECIFIER NOTE: *Optional free center armrest available on 72" or 96" benches with 1" square steel bar.*

- g) Options: [One Free Center Armrest]

B. Manchester Collection

- a) Seat Height: [Standard Adult] [Child Height]
- b) Back: [Straight Back] [Backless] [Arched Back]

SPECIFIER NOTE: *Manchester Arch Backed Bench with Cast Iron Ends available in 72" length only.*

- c) Length: [48"] [72"] [96"]
- d) Seat: 1/4" x 1 1/2" steel vertical slats

SPECIFIER NOTE: *Manchester Collection Benches with decorative cast or streamlined bar armrest ends may be installed freestanding or bolted to concrete. Manchester Benches with steel pipe supports may be installed as embedded or surface mount.*

- e) Support Structure: [Decorative Cast] [1" square steel bar ends] [2 3/8" OD schedule 40 embedded mount] [2 3/8" OD schedule 40 surface mount]
- f) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- g) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

SPECIFIER NOTE: *Optional free center armrest available on 72" or 96" backed benches with decorative cast or streamlined bar armrest ends, and 72" or 96" backless benches with streamlined bar ends only.*

- h) Options: [One Free Center Armrest] [Customized 3" x 8" Memorial Plaque, Arched Backed Bench Only]

C. Papio Signature Collection

- a) Back: [Backless] [Backed]
- b) Length: [48"] [72"] [96"]
- c) Seat: 5/8" diameter solid steel bar

SPECIFIER NOTE: *Papio Signature Collection Benches with decorative cast armrest ends may be installed freestanding or bolted to concrete. Papio Signature Collection Benches with BRP by Bison Signature 2 3/8" tubular armrest ends may be installed as embedded or surface mount.*

- d) Support Structure: [Decorative cast ends] [Signature 2 3/8" tubular steel armrest ends, surface mount] [Signature 2 3/8" tubular steel armrest ends, embedded mount]
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

SPECIFIER NOTE: *Optional free center armrest available on 72" or 96" backed benches only.*

- g) Options: [One Free Center Armrest]

D. Private Collection

SPECIFIER NOTE: *There are no additional art or setup charges for lettering or logos used on Private Collection benches.*

SPECIFIER NOTE: *Child height benches are available in 48" length only.*

- a) Seat Height: [Standard Adult] [Child Height]
- b) Back: [Backed] [Backless] [Arched Back]
- c) Length: [48"] [72"]
- d) Seat: 12 Gauge Laser Cut Steel

SPECIFIER NOTE: *Private Collection benches with decorative cast or streamlined curved bar ends may be installed freestanding or bolted to concrete. Private Collection with 2 3/8" structural steel pipe supports may be installed as embedded or surface mount.*

- e) Support Structure: [Decorative Cast] [1" square steel bar ends] [2 3/8" OD schedule 40 embedded mount] [2 3/8" OD schedule 40 surface mount]
- f) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- g) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

E. Urban Renewal™ Collection

- a) Back: [Backed] [Single Width Backless] [Double Width Backless]

SPECIFIER NOTE: *Urban Renewal backed bench available in 48" and 72" only.*

- b) Length: [48"] [72"] [96"]
- c) Seat: 100% recycled #5 rebar (.63" diameter)
- d) End Frames & Arm Rests: [½" Thick Plate Decorative Laser Cut Ends] [#11 Rebar Ends (1.40" Diameter)]
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

F. Express Ship Collection

- a) Back: [Straight Back] [Arched Back]
- b) Length: 72"
- c) Seat: 3/16" x 1 ½" vertical steel slats
- d) Support Structure: [7/16" x 2" flat bar].
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]
- g) Options: [Customized 3" x 8" memorial plaque, arched back only]

2.3 Litter, Recycling, Ash and Planter Receptacles

SPECIFIER NOTE: Consult BRP by bison for assistance in selecting site furnishings for the specific application.

A. Ashebrooke Decorative Rolled Round Litter Receptacle

- a) Sidewall: 12 gauge steel decorative rolled design
- b) Liner: 40 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: [Flat top] [Dome top] [Ash top]
- d) Mounting: Freestanding or Bolt to Concrete
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

B. Ashebrooke Square Litter Receptacle with Side Door Latch

- a) Sidewall: 3/16" x 1 1/2" steel horizontal slat design
- b) Liner: 36 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: [Flat top] [Dome top] [Ash top]
- d) Access Options: [Standard keyless hinged side door] [Optional keyed lock]
- e) Mounting: Freestanding or Bolt to Concrete]
- f) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.

- g) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

C. Ashebrooke Decorative Rolled Round Recycling Receptacle

- a) Sidewall: 12 gauge steel decorative rolled design
- b) Liner: 36 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: Flat top with 5" opening and laser cut recycling graphics
- d) Mounting: Freestanding or Bolt to Concrete]
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Standard color is Ecoblue but may be finished with any standard color.*

- f) Color: [Ecoblue (standard)] [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

D. Ashebrooke Decorative Rolled Round Planter

- a) Sidewall: 12 gauge steel decorative rolled design
- b) Liner: 20 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Mounting: Freestanding or Bolt to Concrete
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

E. Ashebrooke Decorative Rolled Round Ash Receptacle

- a) Sidewall: 12 gauge steel decorative rolled design
- b) Ash bowl: Stainless steel ash bowl
- c) Mounting: Freestanding or Bolt to Concrete
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

F. Manchester Round Top Load Litter Receptacle

- a) Sidewall: 5/16" x 1 1/2" steel vertical slat design
- b) Liner: 32 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: [Flat top] [Dome top] [Ash top]
- d) Mounting: [Freestanding or Bolt to Concrete] [Embedded Mount, Pedestal Base] [Surface Mount, Pedestal Base]
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

G. Manchester Round Top Load Litter Receptacle

- a) Sidewall: 5/16" x 1 1/2" steel vertical slat design
- b) Liner: 40 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: [Flat top] [Dome top] [Ash top]
- d) Mounting: Freestanding or Bolt to Concrete
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

H. Manchester Side Load Litter Receptacle

- a) Sidewall: 5/16" x 1 1/2" steel vertical slat design
- b) Liner: 36 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: [Flat top] [Dome top] [Ash top]
- d) Access Options: [Standard keyless hinged side door] [Optional keyed lock]
- e) Mounting: Freestanding or Bolt to Concrete
- f) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- g) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

I. Manchester Round Recycling Receptacle

- a) Sidewall: 5/16" x 1 1/2" steel vertical slat design
- b) Liner: 40 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: Flat top with 5" opening and laser cut recycling graphics
- d) Mounting: Freestanding or Bolt to Concrete

- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Standard color is Ecoblue but may be finished with any standard color.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

J. Manchester Planter

- a) Sidewall: 5/16" x 1 1/2" steel vertical slat design
- b) Liner: Perforated 20 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Mounting: Freestanding or Bolt to Concrete
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

K. Manchester Round Ash Receptacle

- a) Sidewall: 5/16" x 1 1/2" steel vertical slat design
- b) Ash bowl: Stainless steel ash bowl
- c) Mounting: Freestanding or Bolt to Concrete
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

L. Papio Signature Square Side Load Litter Receptacle

- a) Square with 5/8" diameter steel horizontal solid bar design
- b) Liner: 36 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: [Flat top] [Dome top] [Ash top]
- d) Access Options: [Standard keyless hinged side door] [Optional keyed lock]
- e) Mounting: Freestanding or Bolt to Concrete

- f) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- g) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

M. Papio Signature Square Recycling Receptacle

- a) Square with 5/8" diameter steel horizontal solid bar design
- b) Liner: 36 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: Flat top with 5" opening and laser cut recycling graphics
- d) Mounting: Freestanding or Bolt to Concrete
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Standard color is Ecoblue but may be finished with any standard color.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

N. Papio Signature Square Planter

- a) Sidewall: Square with 5/8" diameter steel horizontal solid bar design
- b) Liner: Perforated 20 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Mounting: Freestanding or Bolt to Concrete
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

O. Papio Signature Round Ash Receptacle

- a) 5/8" diameter solid steel bar design
- b) Ash bowl: Stainless steel deep dish ash bowl
- c) Mounting: Freestanding or Bolt to Concrete

- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

P. Private Collection Round Top Load Litter Receptacle

SPECIFIER NOTE: *There are no additional art or setup charges for lettering or logos used on Private Collection receptacles.*

- a) Sidewall: 12 gauge custom design laser cut rolled steel
- b) Liner: 40 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: [Flat top] [Dome top] [Ash top]
- d) Mounting: Freestanding or Bolt to Concrete
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

Q. Private Collection Round Recycling Receptacle

SPECIFIER NOTE: *There are no additional art or setup charges for lettering or logos used on Private Collection receptacles.*

- a) Sidewall: 12 gauge custom design laser cut rolled steel
- b) Liner: 40 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: Flat top with 5" opening and laser cut recycling graphics
- d) Mounting: Freestanding or Bolt to Concrete
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

R. Private Collection Round Planter

SPECIFIER NOTE: *There are no additional art or setup charges for lettering or logos used on Private Collection receptacles.*

- a) Sidewall: 12 gauge custom design laser cut rolled steel
- b) Liner: Perforated 20 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Mounting: Freestanding or Bolt to Concrete
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

S. Private Collection Decorative Round Ash Receptacle

SPECIFIER NOTE: *There are no additional art or setup charges for lettering or logos used on Private Collection receptacles.*

- a) Sidewall: 12 gauge custom design laser cut rolled steel
- b) Ash bowl: Stainless steel deep dish ash bowl
- c) Mounting: Freestanding or Bolt to Concrete
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

T. Urban Renewal™ Litter Receptacle

- a) Sidewall: 100% recycled #5 rebar (.63" diameter)
- b) Size: [40 gallon] [32 gallon]
- c) Liner: Recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- d) Top: [Flat top] [Dome top] [Ash top]
- e) Mounting: Freestanding or Bolt to Concrete
- f) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- g) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

U. Urban Renewal™ Recycling Receptacle

- a) Sidewall: 100% recycled #5 rebar (.63" diameter)
- b) Liner: 40 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: Flat top with 5" opening and laser cut recycling graphics
- d) Mounting: Freestanding or Bolt to Concrete
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

V. Urban Renewal™ Planter Receptacle

- a) Sidewall: 100% recycled #5 rebar (.63" diameter)
- b) Liner: Perforated 20 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Mounting: Freestanding or Bolt to Concrete
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

W. Urban Renewal™ Ash Receptacle

- a) Sidewall: 100% recycled #5 rebar (.63" diameter)
- b) Ash bowl: Stainless steel ash bowl
- c) Mounting: Freestanding or Bolt to Concrete
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)]

[Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime]
[Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

X. Suspension™ Pivoting Receptacles

- a) Sidewall Patterns: 12 gauge [standard perforated] [customized] outer receptacle suspended by two 1" diameter pivot pins resting in slots on two 3 ½" diameter galvanized suspension posts.
- b) Liner: Perforated 30 gallon black recyclable plastic molded from 100% natural pure resin polyethylene with UV resistance and bacteria-resistant properties
- c) Top: [Flat top] [Recycling Top]
- d) Mounting: [Surface Mount] [Embedded]
- e) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.

- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)]
[Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)]
[Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime]
[Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

Y. Space Saver™ Pole Mount Receptacles

- a) Sidewall Pattern: 12 gauge [Standard perforated] [Customized] [Pet waste]
- b) Mounting: [To existing steel, wood, aluminum or glass fiber pole with customer supplied band clamps] [2 3/8" diameter, 60" high embedded mount pole PM100-EM, U-clamps provided] [2 3/8" diameter, 60" high surface mount pole PM100-SM, U-clamps provided]
- c) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.

- d) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)]
[Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)]
[Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime]
[Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

2.4 Bike Security Stations & Bollards

SPECIFIER NOTE: Consult BRP by bison for assistance in selecting site furnishings for the specific application.

A. Flip Up Bike Security Station

- a) Primary Material: [2 3/8" OD schedule 40 steel pipe size tubing] [2 3/8" OD stainless steel, surface mount only]
- b) Capacity: 2 bike
- c) Mounting: [Embedded Mount] [Surface Mount]

SPECIFIER NOTE: Specify a standard color of Weatherbeater Mastercoat™ or hot dip galvanized finish. Consult BRP by bison about the availability of custom colors.

- d) Finish: [Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness] [Hot dip galvanized].
- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

SPECIFIER NOTE: Flip Up Bike Security Stations may also be specified with a customizable logo or message panel. Not available on stainless steel or galvanized options. Delete option if not specified.

- f) Options: Customizable logo or message panel

B. LoopLine Bike Security Stations

- a) Primary Material: 1/2" x 2" flat steel bar
- b) Capacity: 2 bike
- c) Mounting: [Embedded Mount] [Surface Mount]

SPECIFIER NOTE: Specify a standard color of Weatherbeater Mastercoat™ or hot dip galvanized finish. Consult BRP by bison about the availability of custom colors.

- d) Finish: [Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness] [Hot dip galvanized].
- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

C. Wave Bike Security Station

- a) Primary Material: [2 3/8" OD schedule 40 steel pipe] [2 3/8" OD stainless steel, 7 bike capacity only]
- b) Capacity: [5 bike] [7 bike] [9 bike] [11 bike] [13 bike]
- c) Mounting: [Embedded Mount] [Surface Mount]

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ or hot dip galvanized finish. Consult BRP by bison about the availability of custom colors.*

- d) Finish: [Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness] [Hot dip galvanized].
- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

D. Rail Flip Up Bike Security Station

- a) Primary Material: 2 3/8" OD schedule 40 steel pipe size tubing mounted to two 3" channel steel rails.
- b) Capacity: [6 bike] [8 bike] [10 bike] [12 bike]
- c) Mounting: Surface Mount
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

E. Hoop Up Bike Security Station

- a) Primary Material: 18" diameter, 5/8" solid bar steel rings welded to dual 3" channel steel rails
- b) Capacity: [8 bike] [14 bike]
- c) Mounting: Surface mount

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ or hot dip galvanized finish. Consult BRP by bison about the availability of custom colors.*

- d) Finish: [Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness] [Hot dip galvanized].
- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

F. Urban Renewal™ Flip Up Bike Rack

- a) Primary Material: 100% recycled #11 rebar (1.40" diameter)
- b) Capacity: 2 bike
- c) Mounting: [Embedded Mount] [Surface Mount]

- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

G. Round Bollard

- a) Primary Material: [4 ½" OD schedule 40 steel pipe with welded dome top]
- b) Height: [36"] [48" removable mount only]
- c) Mounting: [Embedded Mount] [Surface Mount] [Removable Mount with Lockable Sleeve]
- d) Bike Loops: [none] [2 bike loops] [3 bike loops]

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ or hot dip galvanized finish. Consult BRP by bison about the availability of custom colors.*

- e) Finish: [Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness] [Hot dip galvanized].
- f) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

H. Concrete Fillable Bollards

SPECIFIER NOTE: *Bollards are prefinished and suitable for concrete filling in the field.*

- a) Primary Material: 72" long steel tube
- b) Diameter: [4.5" Dia., .170" Wall Thickness] [6.0" Dia., .120" Wall Thickness]
- c) Chain Eyes: [None] [Two chain attachment eyes positions 180° apart]
- d) Color: [Powder coated Safety Yellow] [Primer for Onsite Finishing] [Other: _____]

SPECIFIER NOTE: *Order ZGAL-SY for one gallon of matching safety yellow enamel paint to paint field added concrete cap if required. Delete section if not required.*

- e) Options: Specify ZGAL-SY for one gallon safety yellow enamel paint.

I. HighWheeler Bike Security Station

- a) Primary Material: 1", 1 ¼" and 1 ½" schedule 40 pipe construction
- b) Capacity: [2 bike] [5 bike] [10 bike]
- c) Mounting: Surface mount
- d) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- e) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

J. Inverted U-Style Barriers

- a) Primary Material: [3 ½" OD pipe (36" wide)] [4 ½" OD pipe (48" wide)]
- b) Mounting: [Embedded Mount] [Surface Mount]

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ or hot dip galvanized finish. Consult BRP by bison about the availability of custom colors.*

- c) Finish: [Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness] [Hot dip galvanized].
- d) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

2.5 Tables & Seats

SPECIFIER NOTE: *Consult BRP by bison for assistance in selecting site furnishings for the specific application.*

A. Cafe Collection™ Tables and Seating

- a) Table Top Sizes: [42" round] [42" square] [30" square]

SPECIFIER NOTE: *Custom laser cut table tops are available for square tables only.*

SPECIFIER NOTE: *Freestanding mount option is not available for perforated backless bench or round backless stool.*

- b) Table Top Options: 12 ga. steel top with umbrella opening [Standard perforated] [Solid flat] [Custom laser cut (square only)]
- c) Table Height: [30" standard] [42" high top]
- d) Table Mounting: [surface mount] [freestanding]
- e) Seat Styles: [Surface mount pedestal seat] [Freestanding chair]
- f) Seat Surface Style: [Standard perforated backed] [Custom designed backed] [Standard perforated backless] [Round backless]
- g) Seat Height: [18" standard] [30" High Top]
- h) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- i) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

B. Picnic Time™ Tables and Seating

- a) Table Top Sizes: [42" round] [42" square] [30" square]

SPECIFIER NOTE: *Custom laser cut table tops are available for square tables only.*

- b) Table Top Options: 12 ga. steel top with umbrella opening [Standard perforated] [Solid flat] [Custom laser cut (square only)]
- c) Table Support: 5" square center support pedestal
- d) Table Height: [30" standard] [42" high top]

SPECIFIER NOTE: *Freestanding mounting option is available for 30" high table only.*

- e) Mounting: [embedded mount] [surface mount] [freestanding (30" high table only)]
- f) Seat Supports: 2 3/8" OD, schedule 40 steel pipe
- g) Seat Surface Styles: [Standard perforated backed] [Custom backed] [Standard perforated backless] [Round backless]
- h) Finish: Weatherbeater Mastercoat™ 10-year finish including epoxy primer coat, textured for durability, and applied to an 8 mil average thickness.

SPECIFIER NOTE: *Specify a standard color of Weatherbeater Mastercoat™ finish. Consult BRP by bison about the availability of custom colors.*

- i) Color: [Raven (black)] [Pewter (gray)] [Eggshell (ivory)] [Glacier (white)] [Architectural Bronze (brown)] [Husker (red)] [Hunter (green)] [Penny (copper)] [Ecoblue] [Lollipop Cherry] [Lollipop Orange] [Lollipop Lemon] [Lollipop Lime] [Lollipop Grape] [Rustic] [Primer for Onsite Finishing] [Other: _____]

SPECIFIER NOTE: *Ask your BRP Customer Representative how to eliminate one seat from Picnic Time tables to allow handicap accessible seating.*

- j) Option: Handicap Accessible Seating

PART 3: EXECUTION

3.1 Examination

- A. Examine surfaces to receive site furnishings. Notify Architect of conditions that would adversely affect installation or subsequent utilization of site furnishings. Do not proceed with installation until unsatisfactory conditions are corrected.

3.2 Surface Preparation

- A. Ensure surfaces to receive site furnishings are clean, flat, and level.

3.3 Installation

- A. Install site furnishings in accordance with manufacturer's instructions at locations indicated on the drawings.
- B. Install site furnishings level, plumb, square, accurately aligned, correctly located, and without warp.

SPECIFIER NOTE: *Edit the following as required to specify mounting of the site furnishings. Delete section if site furnishings are to be freestanding.*

- C. Embedded Mount: Embed site furnishings by direct burying in accordance with manufacturer's instructions.
- D. Bolt to Concrete: Anchor site furnishings securely in place to supports with concrete anchor bolts in accordance with manufacturer's instructions.
- E. Use hardware and fasteners in accordance with manufacturer's instructions.
- F. Repair minor damages to finish in accordance with manufacturer's instructions and as approved by Architect.
- G. Remove and replace damaged components that cannot be successfully repaired as determined by Architect.

3.4 Cleaning

- A. Clean site furnishings in accordance with manufacturer's instructions.
- B. Remove temporary protective coverings.
- C. Do not use harsh cleaning materials or methods that would damage finish.

3.5 Protection

- A. Protect installed site furnishings from damage during construction.

3.6 Warranty

- A. All site furnishings to be free from manufacturing defects for no less than one year from the date of invoice. Additionally, all site furnishings including but not limited to benches, litter, recycling and ash receptacles, bike security stations and planters carry a Lifetime Functional Warranty that covers structural and functional failure of steel components including welding.
- B. BRP by bison Weatherbeater Mastercoat™ powder coated and hot dip galvanized finishes are warranted for 10 years from the date of invoice. This warranty covers coating adhesion, flaking and peeling. Cosmetic deterioration due to ultraviolet sunlight, finish chipping and resulting rust caused by abuse, handling or excessive impact are excluded from coverage.

END OF SECTION